

# In God we trust. All others must bring data. — W. Edwards Deming

## Using word embeddings to recognize idioms

Jing Peng, Anna Feldman  
Department of Computer Science  
Department of Linguistics  
Montclair State University  
USA

pengj@mail.montclair.edu, feldmana@mail.montclair.edu

### Abstract

Expressions, such as *add fuel to the fire*, can be interpreted literally or idiomatically depending on the context they occur in. Many Natural Language Processing applications could improve their performance if idiom recognition were improved. Our approach is based on the idea that idioms violate cohesive ties in local contexts, while literal expressions do not. We propose two approaches: 1) Compute inner product of context word vectors with the vector representing a target expression. Since literal vectors predict well local contexts, their inner product with contexts should be larger than idiomatic ones, thereby telling apart literals from idioms; and (2) Compute literal and idiomatic scatter (covariance) matrices from local contexts in word vector space. Since the scatter matrices represent context distributions, we can then measure the difference between the distributions using the Frobenius norm. For comparison, we implement Fazly et al. (2009)'s, Sporleder and Li (2009)'s, and Li and Sporleder (2010b)'s methods and apply them to our data. We provide experimental results validating the proposed techniques.

### 1 Introduction

Natural language is filled with emotion and implied intent, which are often not trivial to detect. One specific challenge are idioms. Figurative language draws off of prior references and is unique to each culture and sometimes what we don't say is even more important than what we do. This, naturally, presents a significant problem for many Natural Language Processing (NLP) applications as well as for big data analytics.

Idioms are conventionalized expressions whose figurative meanings cannot be derived from literal meaning of the phrase. There is no single agreed-upon definition of idioms that covers all members of this class (Glucksberg, 1993; Cacciari, 1993; Nunberg et al., 1994; Sag et al., 2002; Villavicencio et al., 2004; Fellbaum et al., 2006). At the same time, idioms do not form a homogeneous class that can be easily defined. Some examples of idioms are *I'll eat my hat* (I'm confident), *Cut it out* (Stop talking/doing something), *a blessing in disguise* (some bad luck or misfortune results in something positive), *kick the bucket* (die), *ring a bell* (sound familiar), *keep your chin up* (remain cheerful), *piece of cake* (easy task), *miss the boat* (miss out on something), *(to be) on the ball* (be attentive/competent), *put one's foot in one's mouth* (say something one regrets), *rake someone over the coals* (to reprimand someone severely), *under the weather* (sick), *a hot potato* (controversial issue), *an arm and a leg* (expensive), *at the drop of a hat* (without any hesitation), *barking up the wrong tree* (looking in the wrong place), *beat around the bush* (avoiding main topic).

It turns out that expressions are often ambiguous between an idiomatic and a literal interpretation, as one can see in the examples below <sup>1</sup>:

(A) After the last page was sent to the printer, an editor would **ring a bell**, walk toward the door, and holler " Good night! " (Literal) (B) His name never fails to **ring a bell** among local voters. Nearly 40 years ago, Carthan was elected mayor of Tchula... (Idiomatic)

(C) ... that caused the reactor to literally **blow its top**. About 50 tons of nuclear fuel evaporated in the explosion... (Literal) (D) ... He didn't pound the table, he didn't **blow his top**. He always kept his composure. (Idiomatic)

<sup>1</sup>These examples are extracted from the Corpus of Contemporary American English (COCA) (<http://corpus.byu.edu/coca/>)

(E) ...coming out of the fourth turn, slid down the track, **hit** the inside **wall** and then hit the attenuator at the start of pit road. (Literal) (F) ...job training, research and more have **hit** a Republican **wall**. (Idiomatic)

Fazly et al. (2009)’s analysis of 60 idioms from the British National Corpus (BNC) has shown that close to half of these also have a clear literal meaning; and of those with a literal meaning, on average around 40% of their usages are literal. Therefore, idioms present great challenges for many Natural Language Processing (NLP) applications. Most current translation systems rely on large repositories of idioms. Unfortunately, more frequently than not, MT systems are not able to translate idiomatic expressions correctly.

In this paper we describe an algorithm for automatic classification of idiomatic and literal expressions. Similarly to Peng et al. (2014), we treat idioms as semantic outliers. Our assumption is that the context word distribution for a literal expression will be different from the distribution for an idiomatic one. We capture the distribution in terms of covariance matrix in vector space.

## 2 Previous Work

Previous approaches to idiom detection can be classified into two groups: 1) type-based extraction, i.e., detecting idioms at the type level; 2) token-based detection, i.e., detecting idioms in context. Type-based extraction is based on the idea that idiomatic expressions exhibit certain linguistic properties such as non-compositionality that can distinguish them from literal expressions (Sag et al., 2002; Fazly et al., 2009). While many idioms do have these properties, many idioms fall on the continuum from being compositional to being partly unanalyzable to completely non-compositional (Cook et al., 2007). Katz and Giesbrecht (2006), Birke and Sarkar (2006), Fazly et al. (2009), Li and Sporleder (2009), Li and Sporleder (2010a), Sporleder and Li (2009), and Li and Sporleder (2010b), among others, notice that type-based approaches do not work on expressions that can be interpreted idiomatically or literally depending on the context and thus, an approach that considers tokens in context is more appropriate for idiom recognition. To address these problems, Peng et al. (2014) investigate the bag of words *topic* representation and incorporate an additional hypothesis—contexts in which idioms oc-

cur are more affective. Still, they treat idioms as semantic outliers.

## 3 Our Approach

We hypothesize that words in a given text segment that are representatives of the local context are likely to associate strongly with a literal expression in the segment, in terms of projection (or inner product) of word vectors onto the vector representing the literal expression. We also hypothesize that the context word distribution for a literal expression in word vector space will be different from the distribution for an idiomatic one. This hypothesis also underlies the distributional approach to meaning (Firth, 1957; Katz and Giesbrecht, 2006).

### 3.1 Projection Based On Local Context Representation

The local context of a literal target verb-noun construction (VNC) must be different from that of an idiomatic one. We propose to exploit recent advances in vector space representation to capture the difference between local contexts (Mikolov et al., 2013a; Mikolov et al., 2013b).

A word can be represented by a vector of fixed dimensionality  $q$  that best predicts its surrounding words in a sentence or a document (Mikolov et al., 2013a; Mikolov et al., 2013b). Given such a vector representation, our first proposal is the following. Let  $v$  and  $n$  be the vectors corresponding to the verb and noun in a target verb-noun construction, as in *blow whistle*, where  $v \in \mathbb{R}^q$  represents *blow* and  $n \in \mathbb{R}^q$  represents *whistle*. Let  $\sigma_{vn} = v + n \in \mathbb{R}^q$ . Thus,  $\sigma_{vn}$  is the word vector that represents the composition of verb  $v$  and noun  $n$ , and in our example, the composition of *blow* and *whistle*. As indicated in Mikolov et al. (2013b), word vectors obtained from deep learning neural net models exhibit linguistic regularities, such as additive compositionality. Therefore,  $\sigma_{vn}$  is justified to predict surrounding words of the composition of, say, *blow* and *whistle*. Our hypothesis is that on average, inner product  $\sigma_{blowwhistle} \cdot v$ , where  $vs$  are context words in a literal usage, should be greater than  $\sigma_{blowwhistle} \cdot v$ , where  $vs$  are context words in an idiomatic usage.

For a given vocabulary of  $m$  words, represented by matrix  $V = [v_1, v_2, \dots, v_m] \in \mathbb{R}^{q \times m}$ , we calculate the projection of each word  $v_i$  in the vocab-

ulary onto  $\sigma_{vn}$

$$P = V^t \sigma_{vn} \quad (1)$$

where  $P \in \mathbb{R}^m$ , and  $t$  represents transpose. Here we assume that  $\sigma_{vn}$  is normalized to have unit length. Thus,  $P_i = v_i^t \sigma_{vn}$  indicates how strongly word vector  $v_i$  is associated with  $\sigma_{vn}$ . This projection, or inner product, forms the basis for our proposed technique.

Let  $D = \{d_1, d_2, \dots, d_l\}$  be a set of  $l$  text segments (local contexts), each containing a target VNC (i.e.,  $\sigma_{vn}$ ). Instead of generating a term by document matrix, where each term is *tf-idf* (product of term frequency and inverse document frequency), we compute a term by document matrix  $M_D \in \mathbb{R}^{m \times l}$ , where each term in the matrix is

$$p \cdot idf, \quad (2)$$

the product of the projection of a word onto a target VNC and inverse document frequency. That is, the term frequency (tf) of a word is replaced by the projection (inner product) of the word onto  $\sigma_{vn}$  (1). Note that if segment  $d_j$  does not contain word  $v_i$ ,  $M_D(i, j) = 0$ , which is similar to *tf-idf* estimation. The motivation is that topical words are more likely to be well predicted by a literal VNC than by an idiomatic one. The assumption is that a word vector is learned in such a way that it best predicts its surrounding words in a sentence or a document (Mikolov et al., 2013a; Mikolov et al., 2013b). As a result, the words associated with a literal target will have larger projection onto a target  $\sigma_{vn}$ . On the other hand, the projections of words associated with an idiomatic target VNC onto  $\sigma_{vn}$  should have a smaller value.

We also propose a variant of  $p \cdot idf$  representation. In this representation, each term is a product of  $p$  and typical *tf-idf*. That is,

$$p \cdot tf \cdot idf. \quad (3)$$

### 3.2 Local Context Distributions

Our second hypothesis states that words in a local context of a literal expression will have a different distribution from those in the context of an idiomatic one. We propose to capture local context distributions in terms of scatter matrices in a space spanned by word vectors (Mikolov et al., 2013a; Mikolov et al., 2013b).

Let  $d = (w_1, w_2, \dots, w_k) \in \mathbb{R}^{q \times k}$  be a segment (document) of  $k$  words, where  $w_i \in \mathbb{R}^q$  are

represented by a vectors (Mikolov et al., 2013a; Mikolov et al., 2013b). Assuming  $w_i$ s have been centered, we compute the scatter matrix

$$\Sigma = d^t d, \quad (4)$$

where  $\Sigma$  represents the local context distribution for a given target VNC.

Given two distributions represented by two scatter matrices  $\Sigma_1$  and  $\Sigma_2$ , a number of measures can be used to compute the distance between  $\Sigma_1$  and  $\Sigma_2$ , such as Choernoff and Bhattacharyya distances (Fukunaga, 1990). Both measures require the knowledge of matrix determinant. In our case, this can be problematic, because  $\Sigma$  (4) is most likely to be singular, which would result in a determinant to be zero.

We propose to measure the difference between  $\Sigma_1$  and  $\Sigma_2$  using matrix norms. We have experimented with the Frobenius norm and the spectral norm. The Frobenius norm evaluates the difference between  $\Sigma_1$  and  $\Sigma_2$  when they act on a standard basis. The spectral norm, on the other hand, evaluates the difference when they act on the direction of maximal variance over the whole space.

## 4 Experiments

We have carried out an empirical study evaluating the performance of the proposed techniques. The goal is to predict the idiomatic usage of VNCs.

### 4.1 Methods

For comparison, the following methods are evaluated.

1.  $tf \cdot idf$ : compute term by document matrix from training data with  $tf \cdot idf$  weighting.
2.  $p \cdot idf$ : compute term by document matrix from training data with proposed  $p \cdot idf$  weighting (2).
3.  $p \cdot tf \cdot idf$ : compute term by document matrix from training data with proposed  $p \cdot tf \cdot idf$  weighting (3).
4.  $CoVAR_{Fro}$ : proposed technique (4) described in Section 3.2, the distance between two matrices is computed using Frobenius norm.
5.  $CoVAR_{Sp}$ : proposed technique similar to  $CoVAR_{Fro}$ . However, the distance between two matrices is determined using the spectral norm.

6. *Context+* (*CTX+*): supervised version of the CONTEXT technique described in Fazly et al. (2009) (see below).

For methods from **1** to **3**, we compute a latent space from a term by document matrix obtained from the training data that captures 80% variance. To classify a test example, we compute cosine similarity between the test example and the training data in the latent space to make a decision.

For methods **4** and **5**, we compute literal and idiomatic scatter matrices from training data (4). For a test example, compute a scatter matrix according to (4), and calculate the distance between the test scatter matrix and training scatter matrices using the Frobenius norm for method **4**, and the spectral norm for method **5**.

Method **6** corresponds to a supervised version of CONTEXT described in Fazly et al. (2009). CONTEXT is unsupervised because it does not rely on manually annotated training data, rather it uses knowledge about automatically acquired canonical forms (C-forms). C-forms are fixed forms corresponding to the syntactic patterns in which the idiom normally occurs. Thus, the gold-standard is “noisy” in CONTEXT. Here we provide manually annotated training data. That is, the gold-standard is “clean.” Therefore, CONTEXT+ is a supervised version of CONTEXT. We implemented this approach from scratch since we had no access to the code and the tools used in the original article and applied this method to our dataset and the performance results are reported in Table 2.

Table 1: Datasets: Is = idioms; Ls = literals

Expression	Train	Test
BlowWhistle	20 Is, 20 Ls	7 Is, 31 Ls
LoseHead	15 Is, 15 Ls	6 Is, 4 Ls
MakeScene	15 Is, 15 Ls	15 Is, 5 Ls
TakeHeart	15 Is, 15 Ls	46 Is, 5 Ls
BlowTop	20 Is, 20 Ls	8 Is, 13 Ls
BlowTrumpet	50 Is, 50 Ls	61 Is, 186 Ls
GiveSack	20 Is, 20 Ls	26 Is, 36 Ls
HaveWord	30 Is, 30 Ls	37 Is, 40 Ls
HitRoof	50 Is, 50 Ls	42 is, 68 Ls
HitWall	90 Is, 90 Ls	87 is, 154 Ls
HoldFire	20 Is, 20 Ls	98 Is, 6 Ls
HoldHorse	80 Is, 80 Ls	162 Is, 79 Ls

## 4.2 Data Preprocessing

We use BNC (Burnard, 2000) and a list of verb-noun constructions (VNCs) extracted from BNC by Fazly et al. (2009) and Cook et al. (2008)

and labeled as L (Literal), I (Idioms), or Q (Unknown). The list contains only those VNCs whose frequency was greater than 20 and that occurred at least in one of two idiom dictionaries (Cowie et al., 1983; Seaton and Macaulay, 2002). The dataset consists of 2,984 VNC tokens. For our experiments we only use VNCs that are annotated as I or L. We only experimented with idioms that can have both literal and idiomatic interpretations. We should mention that our approach can be applied to any syntactic construction. We decided to use VNCs only because this dataset was available and for fair comparison – most work on idiom recognition relies on this dataset.

We use the original SGML annotation to extract paragraphs from BNC. Each document contains three paragraphs: a paragraph with a target VNC, the preceding paragraph and following one.

Since BNC did not contain enough examples, we extracted additional ones from COCA, COHA and GloWbE (<http://corpus.byu.edu/>). Two human annotators labeled this new dataset for idioms and literals. The inter-annotator agreement was relatively low (Cohen’s kappa = .58); therefore, we merged the results keeping only those entries on which the two annotators agreed.

## 4.3 Word Vectors

For our experiments reported here, we obtained word vectors using the word2vec tool (Mikolov et al., 2013a; Mikolov et al., 2013b) and the text8 corpus. The text8 corpus has more than 17 million words, which can be obtained from [mattmahoney.net/dc/text8.zip](http://mattmahoney.net/dc/text8.zip). The resulting vocabulary has 71,290 words, each of which is represented by a  $q = 200$  dimension vector. Thus, this 200 dimensional vector space provides a basis for our experiments.

## 4.4 Datasets

Table 1 describes the datasets we used to evaluate the performance of the proposed technique. All these verb-noun constructions are ambiguous between literal and idiomatic interpretations. The examples below (from the corpora we used) show how these expressions can be used *literally*.

**BlowWhistle:** *we can immediately turn towards a high-pitched sound such as whistle being blown.*

**LoseHead:** *This looks as eye-like to the predator as the real eye and gives the prey a fifty-fifty chance of losing its head. That was a very nice bull I shot,*

Table 2: Average precision, recall, and accuracy by each method on 12 datasets.

Method	BlowWhistle			LoseHead			MakeScene			TakeHeart		
	Pre	Rec	Acc	Pre	Rec	Acc	Pre	Rec	Acc	Pre	Rec	Acc
$tf \cdot idf$	0.23	0.75	0.42	0.27	0.21	0.49	0.41	0.13	0.33	0.65	0.02	0.11
$p \cdot idf$	0.29	0.82	0.60	0.49	0.27	0.48	0.82	0.48	0.53	0.90	0.43	0.44
$p \cdot tf \cdot idf$	0.23	0.99	0.37	0.31	0.30	0.49	0.40	0.11	0.33	0.78	0.11	0.18
$CoVAR_{Fro}$	<b>0.65</b>	<b>0.71</b>	<b>0.87</b>	0.60	0.78	0.58	<b>0.84</b>	<b>0.83</b>	<b>0.75</b>	0.95	0.61	0.62
$CoVAR_{sp}$	0.44	0.77	0.77	<b>0.62</b>	<b>0.81</b>	<b>0.61</b>	0.80	0.82	0.72	0.94	0.55	0.56
$CTX+$	0.17	0.56	0.40	0.55	0.52	0.46	0.78	0.037	0.45	<b>0.92</b>	<b>0.66</b>	<b>0.64</b>
	BlowTop			BlowTrumpet			GiveSack			HaveWord		
	Pre	Rec	Acc	Pre	Rec	Acc	Pre	Rec	Acc	Pre	Rec	Acc
$tf \cdot idf$	0.55	0.93	0.65	0.26	0.85	0.36	0.61	0.63	0.55	0.52	0.33	0.52
$p \cdot idf$	0.59	0.58	0.68	0.44	0.85	0.69	0.55	0.47	0.62	0.52	0.53	0.54
$p \cdot tf \cdot idf$	0.54	0.53	0.65	0.33	0.93	0.51	0.54	0.64	0.55	0.53	0.53	0.53
$CoVAR_{Fro}$	<b>0.81</b>	<b>0.87</b>	<b>0.86</b>	0.45	0.94	0.70	0.63	0.88	0.72	0.58	0.49	0.58
$CoVAR_{sp}$	0.71	0.79	0.79	0.39	0.89	0.62	0.66	0.75	0.73	0.56	0.53	0.58
$CTX+$	0.66	0.70	0.75	<b>0.59</b>	<b>0.81</b>	<b>0.81</b>	<b>0.67</b>	<b>0.83</b>	<b>0.76</b>	<b>0.53</b>	<b>0.85</b>	<b>0.57</b>
	HitRoof			HitWall			HoldFire			HoldHorse		
	Pre	Rec	Acc	Pre	Rec	Acc	Pre	Rec	Acc	Pre	Rec	Acc
$tf \cdot idf$	0.42	0.70	0.52	0.37	0.99	0.39	0.91	0.57	0.57	0.79	0.98	0.80
$p \cdot idf$	0.54	0.84	0.66	0.55	0.92	0.70	0.97	0.83	0.81	0.86	0.81	0.78
$p \cdot tf \cdot idf$	0.41	0.98	0.45	0.39	0.97	0.43	<b>0.95</b>	<b>0.89</b>	<b>0.85</b>	0.84	0.97	0.86
$CoVAR_{Fro}$	<b>0.61</b>	<b>0.88</b>	<b>0.74</b>	<b>0.59</b>	<b>0.94</b>	<b>0.74</b>	0.97	0.86	0.84	<b>0.86</b>	<b>0.97</b>	<b>0.87</b>
$CoVAR_{sp}$	0.54	0.85	0.66	0.50	0.95	0.64	0.96	0.87	0.84	0.77	0.85	0.73
$CTX+$	0.55	0.82	0.67	0.92	0.57	0.71	0.97	0.64	0.64	<b>0.93</b>	<b>0.89</b>	<b>0.88</b>

*but I lost his head.* **MakeScene:** *... in which the many episodes of life were originally isolated and there was no relationship between the parts, but at last we must make a unified scene of our whole life.* **TakeHeart:** *... cutting off one of the forelegs at the shoulder so the heart can be taken out still pumping and offered to the god on a plate.* **Blow-Top:** *Yellowstone has no large sources of water to create the amount of steam to blow its top as in previous eruptions.*

## 5 Results

Table 2 shows the average precision, recall and accuracy of the competing methods on 12 datasets over 20 runs. The best performance is in bold face. The best model is identified by considering precision, recall, and accuracy together for each model. We calculate accuracy by adding true positives (idioms) and true negatives (literals) and normalizing the sum by the number of examples.

Interestingly, the Frobenius norm outperforms the spectral norm. One possible explanation is that the spectral norm evaluates the difference when

two matrices act on the maximal variance direction, while the Frobenius norm evaluates on a standard basis. That is, Frobenius measures the difference along all basis vectors. On the other hand, the spectral norm evaluates changes in a particular direction. When the difference is a result of all basis directions, the Frobenius norm potentially provides a better measurement. The projection methods ( $p \cdot idf$  and  $p \cdot tf \cdot idf$ ) outperform  $tf \cdot idf$  overall but not as pronounced as  $CoVAR$ .

$CTX+$  demonstrates a very competitive performance. Since  $CTX+$  is a supervised version of CONTEXT, we expect our proposed algorithms to outperform Fazly’s CONTEXT method.

## 6 Conclusions

In this paper we described an original algorithm for automatic classification of idiomatic and literal expressions. We also compared our algorithm against several competing idiom detection algorithms discussed in the literature. The performance results show that our algorithm generally outperforms Fazly et al. (2009)’s model. Note

that *CTX+* is a supervised version of Fazly et al. (2009)'s, in that the training data here is the true "gold-standard," while in (Fazly et al., 2009) is noisy. A research direction is to incorporate affect into our model. Idioms are typically used to imply a certain evaluation or affective stance toward the things they denote (Nunberg et al., 1994; Sag et al., 2002). We usually do not use idioms to describe neutral situations, such as buying tickets or reading a book. Similarly to Peng et al. (2014) we are exploring ways to incorporate affect into our idiom detection algorithm. Even though our method was tested on verb-noun constructions, it is independent of syntactic structure and can be applied to any idiom type. Unlike Fazly et al. (2009)'s approach, for example, our algorithm is language-independent and does not rely on POS taggers and syntactic parsers, which are often unavailable for resource-poor languages. Our next step is to expand this method and use it for idiom discovery. The move will imply an extra step – extracting multiword expressions first and then determining their status as literal or idiomatic.

## References

- Julia Birke and Anoop Sarkar. 2006. A clustering approach to the nearly unsupervised recognition of nonliteral language. In *Proceedings of the 11th Conference of the European Chapter of the Association for Computational Linguistics (EACL'06)*, pages 329–226, Trento, Italy.
- Lou Burnard, 2000. *The British National Corpus Users Reference Guide*. Oxford University Computing Services.
- Cristina Cacciari. 1993. The Place of Idioms in a Literal and Metaphorical World. In Cristina Cacciari and Patrizia Tabossi, editors, *Idioms: Processing, Structure, and Interpretation*, pages 27–53. Lawrence Erlbaum Associates.
- Paul Cook, Afsaneh Fazly, and Suzanne Stevenson. 2007. Pulling their weight: Exploiting syntactic forms for the automatic identification of idiomatic expressions in context. In *Proceedings of the ACL 07 Workshop on A Broader Perspective on Multiword Expressions*, pages 41–48.
- Paul Cook, Afsaneh Fazly, and Suzanne Stevenson. 2008. The VNC-Tokens Dataset. In *Proceedings of the LREC Workshop: Towards a Shared Task for Multiword Expressions (MWE 2008)*, Marrakech, Morocco, June.
- Anthony P. Cowie, Ronald Mackin, and Isabel R. McCaig. 1983. *Oxford Dictionary of Current Idiomatic English*, volume 2. Oxford University Press.
- Afsaneh Fazly, Paul Cook, and Suzanne Stevenson. 2009. Unsupervised Type and Token Identification of Idiomatic Expressions. *Computational Linguistics*, 35(1):61–103.
- Christiane Fellbaum, Alexander Geyken, Axel Herold, Fabian Koerner, and Gerald Neumann. 2006. Corpus-based Studies of German Idioms and Light Verbs. *International Journal of Lexicography*, 19(4):349–360.
- John R Firth. 1957. {A synopsis of linguistic theory, 1930-1955}.
- K. Fukunaga. 1990. *Introduction to statistical pattern recognition*. Academic Press.
- Sam Glucksberg. 1993. Idiom Meanings and Allusional Content. In Cristina Cacciari and Patrizia Tabossi, editors, *Idioms: Processing, Structure, and Interpretation*, pages 3–26. Lawrence Erlbaum Associates.
- Graham Katz and Eugenie Giesbrecht. 2006. Automatic Identification of Non-compositional Multiword Expressions using Latent Semantic Analysis. In *Proceedings of the ACL/COLING-06 Workshop on Multiword Expressions: Identifying and Exploiting Underlying Properties*, pages 12–19.
- Linlin Li and Caroline Sporleder. 2009. A cohesion graph based approach for unsupervised recognition of literal and non-literal use of multiword expressions. In *Proceedings of the 2009 Workshop on Graph-based Methods for Natural Language Processing (ACL-IJCNLP)*, pages 75–83, Singapore.
- Linlin Li and Caroline Sporleder. 2010a. Linguistic cues for distinguishing literal and non-literal usages. In *COLING (Posters)*, pages 683–691.
- Linlin Li and Caroline Sporleder. 2010b. Using gaussian mixture models to detect figurative language in context. In *Proceedings of NAACL/HLT 2010*.
- Tomas Mikolov, Kai Chen, Greg Corrado, and Jeffrey Dean. 2013a. Efficient estimation of word representations in vector space. In *Proceedings of Workshop at ICLR*.
- Tomas Mikolov, Ilya Sutskever, Kai Chen, Greg Corrado, and Jeffrey Dean. 2013b. Distributed representations of words and phrases and their compositionality. In *Proceedings of NIPS*.
- Geoffrey Nunberg, Ivan A. Sag, and Thomas Wasow. 1994. Idioms. *Language*, 70(3):491–538.
- Jing Peng, Anna Feldman, and Ekaterina Vylomova. 2014. Classifying idiomatic and literal expressions using topic models and intensity of emotions. In *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 2019–2027, Doha, Qatar, October. Association for Computational Linguistics.

Ivan A. Sag, Timothy Baldwin, Francis Bond, Ann Copestake, and Dan Flickinger. 2002. Multiword expressions: A Pain in the Neck for NLP. In *Proceedings of the 3rd International Conference on Intelligence Text Processing and Computational Linguistics (CICLing 2002)*, pages 1–15, Mexico City, Mexico.

Maggie Seaton and Alison Macaulay, editors. 2002. *Collins COBUILD Idioms Dictionary*. HarperCollins Publishers, second edition.

Caroline Sporleder and Linlin Li. 2009. Unsupervised Recognition of Literal and Non-literal Use of Idiomatic Expressions. In *EACL '09: Proceedings of the 12th Conference of the European Chapter of the Association for Computational Linguistics*, pages 754–762, Morristown, NJ, USA. Association for Computational Linguistics.

Aline Villavicencio, Ann Copestake, Benjamin Waldron, and Fabre Lambeau. 2004. Lexical Encoding of MWEs. In *Proceedings of the Second ACL Workshop on Multiword Expressions: Integrating Processing*, pages 80–87, Barcelona, Spain.